

## REFERENSLISTE:

- 1) Sleep-related breathing disorders in adults: recommendations for syndrome definition and measurement techniques in clinical research. The Report of an American Academy of Sleep Medicine Task Force. *Sleep* 1999;22:667-689.
- 2) Diagnosis and management of obstructive sleep apnea syndrome. A state of the art Document. Swedish Medical Research Council. 1994.
- 3) Robin P. Démonstration pratique sur la construction et la mise en bouche d'un nouvel appareil de redressement. *Revue de Stomatologie* 1902;9:561-590.
- 4) Soll BA, George PT. Treatment of obstructive sleep apnea with a nocturnal airway-patency appliance. *N Engl J Med* 1985; 313:6.
- 5) Meier-Ewert K, Brosig B. Treatment of sleep apnea by prosthetic mandibular advancement. In: von Wichert P ed. Sleep related disorders and internal diseases. Heidelberg, Springer Verlag, 1987; 341-345.
- 6) Bonham PE, Currier GF, Orr WC, Othman J, Nanda RS. The effect of a modified functional appliance on obstructive sleep apnea. *Am J Orthod Dentofacial Orthop* 1988; 94 384-392.
- 7) Ichioka M, Tojo N, Yoshizawa M, Chida M, Miyazato I, Tanai S, Marumo F, Nakagawa K, Hasegawa M. A dental device for the treatment of obstructive sleep apnea: a preliminary study. *Otolaryngol Head Neck Surg* 1991; 104: 555-558
- 8) Schmidt-Nowara WW, Meade TE, Hays MB. Treatment of snoring and obstructive sleep apnea with a dental orthosis. *Chest* 1991; 99: 1378-1385.
- 9) Nakazawa Y, Sakamoto T, Yasutake R, Yamaga K, Kotorii T, Miyahara Y, Ariyoshi Y, Kameyama T. Treatment of sleep apnea with prosthetic mandibular advancement. *Sleep* 1992; 15: 499-504.
- 10) Clark GT, Arand D, Chung E, Tong D. Effect of anterior mandibular positioning on obstructive sleep apnea. *Am Rev Respir Dis* 1993; 147: 624-629.
- 11) Yoshida K. Prosthetic therapy for sleep apnea syndrome. *J Prosthet Dent* 1994; 72:296-302.
- 12) Bjerckhoel A, Kurof J, Modin H. Tandställning mot sömnapné syndrom. *Lakartidningen* 1995; 92:4000-4003.
- 13) O'sullivan RA, Hillman DR, Mateljan R, Pantin C, Finucane KE. Mandibular advancement splint: an appliance to treat snoring and obstructive sleep apnea. *Am J Respir Crit Care Med* 1995; 151: 194-198.
- 14) Marklund M, Franklin KA. Dental appliances in the treatment of snoring a comparison between an activator, a soft-palate lifter, and a mouthshield. *Swed Dent J* 1996; 20: 183-188.
- 15) Menn SJ, Loube DI, Morgan TD, Mitler MED MER, Berger JS, Erman MK. The mandibular repositioning device: role in the treatment of obstructive sleep apnea. *Sleep* 1996; 19:794-800.
- 16) Ferguson KA, Ono T, Lowe AA, Al-Majed S, Love LL, Fleetham JA. A short-term controlled trial of an adjustable oral appliance for the treatment of mild to moderate obstructive sleep apnoea. *Thorax* 1997; 52:362-368.
- 17) Bernhold M, Bondemark L. A magnetic appliance for treatment of snoring patients with and without obstructive sleep apnea. *Am J Orthod Dentofacial Orthop* 1998; 113:144-155.
- 18) Pancer J, Al-Faifi M, Hoffstein V. Evaluation of variable mandibular advancement appliance for treatment of snoring and sleep apnea. *Chest* 1999; 116: 1511-1518.
- 19) Henke KG, Frantz DE, Kuna ST. An oral elastic mandibular advancement device for obstructive obstructive sleep apnea. *Am J Respir Crit Care Med* 2000; 161: 420-425.
- 20) Lowe AA, Sjöholm TT, Ryan CF, Fleetham JA, Ferguson KA, Remmers JE. Treatment, airway and compliance effects of a titratable oral appliance. *Sleep* 2000; 23: S172-S178.
- 21) Sullivan CE, Issa FG, Berthon-Jones M, Eves L. Reversal of obstructive sleep apnoea by continuous positive airway pressure applied through the nares. *Lancet* 1981; 1: 862-865.
- 22) Fujita S, Conway W, Zorick F, Roth T. Surgical correction of anatomic abnormalities in obstructive sleep apnea syndrome: uvulopalatopharyngoplasty. *Otolaryngol Head Neck Surg* 1981; 89: 923-934.
- 23) Olsen K D, Kern E B. Nasal Influences on Snoring and Obstructive Sleep Apnea. *Mayo Clin Proc* 1990; 65: 1095-1105.
- 24) Young T, Palta M, Dempsey J, Skatrud J, Weber S, Badr S. The occurrence of sleep disordered breathing among middle-aged adults. *N Engl J Med* 1993; 328: 1230-1235.
- 25) Strohl KP, Redline S. Recognition of obstructive sleep apnea. State of the art. *Am J Respir Crit Care Med* 1996; 154: 279-289.
- 26) Finn L, Young T, Palta M, Fryback DG. Sleep-disordered breathing and self-reported general health status in the Wisconsin sleep cohort study. *Sleep* 1998; 21: 701-706.
- 27) Punjabi NM, O'Hearn DJ, Neubauer DN, Nieto FJ, Schwartz AR, Smith PL, Bandeen-Roche K. Modeling hypersomnolence in sleep-disordered breathing: a novel approach using survival analysis. *Am J Respir Crit Care Med* 1999; 159: 1703-1709.
- 28) Gottlieb DJ, Yao Q, Redline S, Ali T, Mahowald MW. Does snoring predict sleepiness independently of apnea and hypopnea frequency? *Am J Respir Crit Care Med* 2000; 162: 1512-1517.
- 29) Olson LG, King MT, Hensley MJ, Saunders NA. A community study of snoring and sleep-disordered breathing: symptoms. *Am J Respir Crit Care Med* 1995; 152: 707-710.
- 30) Stradling JR, Pitson DJ, Bennett L, Barbour C, Davies RJO. Variation in the arousal pattern after obstructive events in obstructive sleep apnea. *Am J Respir Crit Care Med* 1999; 159: 130-136.
- 31) Kim HC, Young T, Matthews CG, Weber SM, Woodard AR, Palta M. Sleep-disordered breathing and neuropsychological deficits: a population-based study. *Am J Respir Crit Care Med* 1997; 156: 1813-1819.
- 32) Young T, Blustein J, Finn L, Palta M. Sleep-disordered breathing and motor vehicle accidents in a population-based sample of employed adults. *Sleep* 1997; 20:608-613.
- 33) Ulfberg J, Carter N, Edling C. Sleep-disordered breathing and occupational accidents. *Scand J Work Environ Health* 2000; 26: 237-242.
- 34) Larsson L-G, Lundback B, Jonsson A-C, Lindström M, Jönsson E. Symptoms related related to snoring and sleep apnoea in subjects with chronic bronchitis. *Respir Med* 1997; 91: 5-12.
- 35) Bearpark H, Elliott L, Grunstein R, Cullen S, Schneider H, Althaus W, Sullivan C. Snoring and sleep apnea: a population study in Australian men. *Am J Respir Crit Care Med* 1995; 151: 1459-1465.
- 36) Stoohs RA, Dement WC. Snoring and sleep-related breathing abnormality during partial sleep deprivation. *N Engl J Med* 1993; 328: 1279.
- 37) Persson HE, Svanborg E. Sleep deprivation worsens obstructive sleep apnea: comparison between diurnal and nocturnal polysomnography. *Chest* 1996; 109: 645-650.

- 38) Schellenberg JB, Maislin G, Schwab RJ. Physical findings and the risk for obstructive sleep apnea: the importance of oropharyngeal structures. *Am J Respir Crit Care Med* 2000; 162: 740-748.
- 39) Kopelman PG. Obesity as a medical problem. *Nature* 2000; 404: 635-643.
- 40) Hoffstein V, Mateika S. Differences in abdominal and neck circumferences in patients with and without obstructive sleep apnoea. *Eur Respir J* 1992; 5: 377-381.
- 41) Deegan PC, McNicholas WT. Predictive value of clinical features for the obstructive sleep apnoea syndrome. *Eur Respir J* 1996; 9: 117-124.
- 42) Sforza E, Petiau C, Weiss T, Thibault A, Krieger J. Pharyngeal critical pressure in patients with obstructive sleep apnea syndrome. *Am J Respir Crit Care Med* 1999; 159: 149-157.
- 43) Davies RJO, Stradling JR. The relationship between neck circumference, radiographic pharyngeal anatomy, and the obstructive sleep apnoea syndrome. *Eur Respir J* 1990; 3: 509-514.
- 44) Mortimore IL, Marshall I, Wraitj PK, Sellar RJ, Douglas NJ. Neck and total body fat deposition in nonobese and obese patients with sleep apnea compared with that in control subjects. *Am J Respir Crit Care Med* 1998; 157: 280-283.
- 45) Kuna S, Remmers JE. Anatomy and physiology of upper airway obstruction. Kryger MH, Totth T & Dement WC eds. *Principles and Practice of sleep medicine* 3<sup>rd</sup> ed. Philadelphia: W.B.Saunders, 2000; 840-858.
- 46) Partinen M, Guilleminault C, Quera-Salva M-A, Jamieson A. Obstructive sleep apnea and cephalometric roentgenograms: the role of anatomic upper airway abnormalities in the definition of abnormal breathing during sleep. *Chest* 1998; 93: 1199-1205.
- 47) Maltais F, Carrier G, Cormier Y, Sériés F. Cephalometric measurements in snorers, non-snorers, and patients with sleep apnoea. *Thorax* 1991; 47: 150-156.
- 48) Pepin JL, Ferretti G, Veale D, Romand P, Coulumb M, Brambilla C, Lévy PA. Somnofluoroscopy, computed tomography, and cephalometry in the assessment of the airway in obstructive sleep apnoea. *Thorax* 1992; 47: 150-156.
- 49) Schwab RJ, Gupta KB, Gefter WB, Metzger LJ, Hoffman EA, Pack AI. Upper airway and soft tissue anatomy in normal subjects and patients with sleep-disordered breathing: significance of the lateral pharyngeal walls. *Am J Respir Crit Care Med* 1995; 152: 1673-1689.
- 50) Mayer P, Pépin J-L, Bettega G, Veale D, Ferretti G, Deschaux C, Lévy P. Relationship between body mass index, age and upper airway measurements in snorers and sleep apnoea patients. *Eur Respir J* 1996; 9: 1801-1809.
- 51) Lowe AA, Özbek MM, Miyamoto K, Pac E-K, Fleetham JA. Cephalometric and demographic characteristics of obstructive sleep apnea: an evaluation with partial least squares analysis. *Angle Orthod* 1997; 67: 143-154.
- 52) Sforza E, Bacon W, Weiss T, Thibault A, Petiau C, Krieger J. Upper airway collapsibility and cephalometric variables in patients with obstructive sleep apnea. *Am J Respir Crit Care Med* 2000; 161: 347-352.
- 53) Johnston CD, Richardson A. Cephalometric changes in adult pharyngeal morphology. *Eur J Orthod* 1999; 21: 357-362.
- 54) Harvold EP, Tomer BS, Vargervik K, Chierici G. Primate experiments on oral respiration. *Am J Orthod* 1981; 79: 359-372.
- 55) Tomer BS, Harvold EP. Primate experiments on mandibular growth direction. *Am J Orthod* 1982; 82: 114-119.
- 56) Miles PG, Vig PS, Weyant RJ, Forrest TD, Rockette HE Jr. Craniofacial structure and obstructive sleep apnea syndrome - a qualitative analysis and meta-analysis of the literature. *Am J Orthod Dentofacial Orthop* 1996; 109: 163-172.
- 57) Strelzow VV, Blanks RHI, Basile A, Strelzow AE. Cephalometric airway analysis in obstructive sleep apnea syndrome. *Laryngoscope* 1988; 98: 1149-1158.
- 58) Lyberg T, Krogstad O, Djupesland G. Cephalometric analysis in patients with obstructive sleep apnoea syndrome. I. Skeletal morphology. *J Laryngol Otol* 1989; 103: 287-292.
- 59) Bacon WH, Turlet JC, Krieger J, Stierle J-L. Cephalometric evaluation of pharyngeal obstructive factors in patients with sleep apnoea syndrome. *Angle Orthod* 1990; 60: 115-122.
- 60) Hochban W, Brandenburg U. Morphology of the viscerocranium in obstructive sleep apnoea syndrome - cephalometric evaluation of 400 patients. *J Craniomaxillofac Surg* 1994; 22: 205-213.
- 61) Lugaresi E, Coccagna G, Cirignotta F. Snoring and its clinical implications. In: Guilleminault C, Dement WC eds. *Sleep apnea syndromes*. New York: Alan R. Liss Inc, 1978: 13-21.
- 62) Svaneborg E, Larsson H. Development of nocturnal respiratory disturbance in untreated patients with obstructive sleep apnea syndrome. *Chest* 1993; 104: 340-343.
- 63) Pendlebury ST, Pépin J-L, Veale D, Lévy P. Natural evolution of moderate sleep apnoea syndrome: significant progression over a mean of 17 months. *Thorax* 1997; 52: 872-878.
- 64) Lindberg E, Elmäsry A, Gislason T, Janson C, Bengtsson H, Hetta J, Nettelbladt M, Boman G. Evolution of sleep apnea syndrome in sleepy snorers: a population-based prospective study. *Am J Respir Crit Care Med* 1999; 159: 2024-2027.
- 65) Friberg D. Heavy snorer's disease: a progressive local neuropathy. *Acta Otolaryngol* 1999; 119: 925-933.
- 66) Mortimore IL, Douglas NJ. Palatal muscle EMG response to negative pressure in awake sleep apnoic and control subjects. *Am J Respir Crit Care Med* 1997; 156: 867-873.
- 67) Friberg D, Ansved T, Borg K, Carlsson Nordlander B, Larsson H, Svaneborg E. Histological indications of a progressive snorers disease in an upper airway muscle. *Am J Respir Crit Care Med* 1998; 157: 586-593.
- 68) Carrera M, Barbé F, Sauleda J, Tomás M, Gómez C, Agustí AGN. Patients with obstructive sleep apnea exhibit genioglossus dysfunction that is normalized after treatment with continuous positive airway pressure. *Am J Respir Crit Care Med* 1999; 159: 1960-1966.
- 69) Schotland HM, Insko EK, Schwab RJ. Quantitative magnetic resonance imaging demonstrates alterations of the lingual musculature in obstructive sleep apnea. *Sleep* 1999; 22: 605-613.
- 70) Friberg D, Gazelius B, Lindblad LE, Nordlander B. Habitual snorers and sleep apnoics have abnormal vascular reactions of the soft palatal mucosa on afferent nerve stimulation. *Laryngoscope* 1998; 108: 431-436.
- 71) Olofsson K, Mattsson C, Hammarström ML, Hellström S. Structure of the human uvula. *Acta Otolaryngol* 1999; 119: 712-717.
- 72) Peppard PE, Young T, Palta M, Skatrud J. Prospective study of the association between sleep-disordered breathing and hypertension. *N Engl J Med* 2000; 342: 1378-1384.
- 73) Koskenvuo M, Kaprio J, Telakivi T, Partinen M, Heikkilä K, Sarna S. Snoring as a risk factor for ischaemic heart disease and stroke in men. *Br Med J* 1987; 294: 16-19.
- 74) Hung J, Whitford EG, Parsons RW, Hillman DR. Association of sleep apnoea with myocardial infarction in men. *Lancet* 1990; 336: 261-264.
- 75) Moce T, Rabben T, Wiklund U, Franklin KA, Eriksson P. Sleepdisordered breathing in men with coronary artery disease. *Chest* 1996; 109: 659-663.
- 76) Moce T, Rabben T, Wiklund U, Franklin KA, Eriksson P. Sleepdisordered breathing in women: occurrence and association with coronary artery disease. *Am J Med* 1996; 101: 251-256.

- 77) Peker Y, Kraiczi H, Heder J, Löth S, Johansson Å, Bende M. An independent association between obstructive sleep apnoea and coronary artery disease. *Eur Respir J* 1999; 13: 179-184.
- 78) Weiss JW, Launois SH, Anand A, Garpestad E. Cardiovascular morbidity in obstructive sleep apnea. *Prog Cardiovasc Dis* 1999; 41: 367-376.
- 79) Roux F, D'Ambrosio C, Mohsenin V. Sleep-related breathing disorders and cardiovascular disease. *Am J Med* 2000; 108: 396-402.
- 80) Palomäki H, Partinen M, Juvela S, Kaste M. Snoring as a risk factor for sleep-related brain infarction. *Stroke* 1989; 20: 1311-1315.
- 81) Bassetti C, Aldrich MS. Sleep apnea in acute cerebrovascular diseases: final report on 128 patients. *Sleep* 1999; 22: 217-223.
- 82) Elmasry A, Janson C, Lindberg E, Gislason T, Tageldin MA, Boman G. The role of habitual snoring and obesity in the development of diabetes: a 10-year follow-up study in a male population. *J Intern Med* 2000; 248: 13-20.
- 83) Partinen M, Jamieson A, Guilleminault C. Long-term outcome for obstructive sleep apnea syndrome patients: mortality. *Chest* 1988; 94: 1200-1204.
- 84) He J, Kryger MH, Zorick FJ, Conway W, Roth T. Mortality and apnea index in obstructive sleep apnea: experience in 385 male patients. *Chest* 1988; 94: 9-14.
- 85) Gonzalez-Rothi RJ, Block AJ. Mortality and sleep apnea: the trouble with looking backward. *Chest* 1988; 94: 678-679.
- 86) Lindberg E, Janson C, Svärdsudd K, Gislason T, Hetta J, Boman G. Increased mortality among sleepy snorers: a prospective population based study. *Thorax* 1998; 53: 631-637.
- 87) Peker Y, Hedner J, Kraiczi H, Löth S. Respiratory disturbance index: an independent predictor of mortality in coronary artery disease. *Am J Respir Crit Care Med* 2000; 162: 81-86.
- 88) Isono S, Remmers JE, Tanaka A, Sho Y, Sato J, Nishino T. Anatomy of pharynx in patients with obstructive sleep apnea and in normal subjects. *J Appl Physiol* 1997; 82: 1319-1326.
- 89) Schwab JR, Gefter WB, Hoffman EA, Gupta KB, Pack AI. Dynamic upper airway imaging during awake respiration in normal subjects and patients with sleep disordered breathing. *Am Rev Dis* 1993; 148: 1385-1400.
- 90) Hillarp B, Nylander G, Rosén I, Wickström O. Videoradiography of patients with habitual snoring and/or sleep apnea. *Acta Radiol* 1996; 37: 307-314.
- 91) Martin SE, Marshall I, Douglas NJ. The effect of posture on airway caliber with sleep-apnea/hypopnea syndrome. *Am J Respir Crit Care Med* 1995; 152: 721-724.
- 92) Suratt PM, McTier RF, Wilhoit SC. Upper airway muscle activation is augmented in patients with obstructive sleep apnea compared with that in normal subjects. *Am Rev Respir Dis* 1988; 137: 889-894.
- 93) Mezzanotte WS, Tangel DJ, White DP. Waking genioglossal electromyogram in sleep apnea patients versus normal controls (a neuromuscular compensatory mechanism). *J Clin Invest* 1992; 89: 1571-1579.
- 94) Douglas NJ, Jan MA, Yildirim N, Warren PM, Drummond GB. Effect of posture and breathing route on genioglossal electromyogram activity in normal subjects and in patients with the sleep apnea/hypopnea syndrome. *Am Rev Respir Dis* 1993; 148: 1341-1345.
- 95) Solow B, Ovesen J, Würtzen Nielsen P, Wildschjædtz G, Tallgren A. Head posture in obstructive sleep apnoea. *Eur J Orthod* 1993; 15: 107-114.
- 96) Safar P, Escarraga LA, Chang F. Upper airway obstruction in the unconscious patients. *J Appl Physiol* 1959; 14: 760-764.
- 97) Jan MA, Marshall I, Douglas NJ. Effect of posture on upper airway dimensions in normal human. *Am J Respir Crit Care Med* 1994; 149: 145-148.
- 98) Solow B, Skov S, Ovesen J, Norup PW, Wildschjædtz G. Airway dimensions and head posture in obstructive sleep apnoea. *Eur J Orthod* 1996; 18: 571-579.
- 99) Isono S, Remmers JE, Tanaka A, Sho Y, Nishino T. Static properties of the passive pharynx in sleep apnea. *Sleep* 1996; 19: S175-S177.
- 100) Yildirim N, Fitzpatrick MF, Whyte KF, Jalleh R, Wightman AJA, Douglas NJ. The effect of posture on upper airway dimensions in normal subjects and in patients with the sleep apnea/hypopnea syndrome. *Am Rev Respir Dis* 1991; 144: 845-847.
- 101) Neill AM, Angus SM, Sajkov D, McEvoy RD. Effects of sleep posture on upper airway stability in patients with obstructive sleep apnea. *Am J Respir Crit Care Med* 1997; 155: 199-204.
- 102) Jokic R, Klimaszewski A, Crossley M, Stridhar G, Fitzpatrick MF. Positional treatment vs continuous positive airway pressure in patients with positional obstructive sleep apnea syndrome. *Chest* 1999; 115: 771-781.
- 103) Lowe A, Fleetham J, Ryan F, Mathews B. Effects of a mandibular repositioning appliance used in the treatment of obstructive sleep apnea on tongue muscle activity. In: Suratt PM, Remmers JE. *Sleep and Respiration*, Wiley-Liss, New York 1990; pp.395-405.
- 104) Johnson LM, Arnett GW, Tamborello JA, Binder A. Airway changes in relationship to mandibular posturing. *Otolaryngol Head Neck Surg* 1992; 106: 143-148.
- 105) Isono S, Tanaka A, Sho Y, Konno A, Nishino T. Advancement of the mandible improves velopharyngeal airway patency. *J Appl Physiol* 1995; 79: 2132-2138.
- 106) Ferguson KA, Love LL, Ryan CF. Effect of mandibular and tongue protrusion on upper airway size during wakefulness. *Am J Respir Crit Care Med* 1997; 155: 1748-1754.
- 107) Ishida M, Inoue Y, Suto Y, Okamoto K, Ryoko K, Higami S, Suzuki T, Kawahara R. Mechanism of action and therapeutic indication of prosthetic mandibular advancement in obstructive sleep apnoea syndrome. *Japanese Society of Sleep Research* 1998; 52: 227-229.
- 108) Petitjean T, Chammas N, Langevin B, Philit F, Robert D. Principles of mandibular advancement device applied to the therapeutic of snoring and sleep apnea syndrome. *Sleep* 2000; 23: 166-171.
- 109) Gale DJ, Sawyer RH, Woodcock A, Stone P, Thompson R, O'Brien K. Do oral appliances enlarge the airway in patients with sleep apnoea? A prospective computerized tomographic study. *Eur J Orthod* 2000; 22: 159-168.
- 110) Kato J, Isono S, Tanaka A, Watanabe T, Araki D, Tanzawa H, Nishino T. Dose-dependent effects of mandibular advancement on pharyngeal mechanics and nocturnal oxygenation in patients with sleep-disordered breathing. *Chest* 2000; 117: 1065-1072.
- 111) Sjöholm TT, Polo OJ, Rauhala ER, Vuoriluoto J, Helenius HYM. Mandibular advancement with dental appliances in obstructive sleep apnoea. *J Oral Rehab* 1994; 21: 595-603.
- 112) Nambu Y, Nagasaka Y, Fujita E, Hamada S, Fukuoka M. Effect of mandibular advancement splint on psycho-intellectual derangements in patients with sleep apnea syndrome. *Tohoku J Exp Med* 1999; 188: 119-132.
- 113) Ferguson KA, Ono T, Lowe AA, Keenan SP, Fleetham JA. A randomized crossover study of an oral appliance vs nasal-continuous positive airway pressure in the treatment of mild-moderate obstructive sleep apnea. *Chest* 1996; 109: 1269-1275.
- 114) George PT. A modified functional appliance for treatment of obstructive sleep apnea. *J Clin Orthod* 1987; 21: 171-175.

- 115) Stradling JR, Negus TW, Smith D, Langford B. Mandibular advancement devices for the control of snoring. *Eur Respir J* 1998; 11: 447-450.
- 116) Cohen R. Obstructive sleep apnea. Oral appliance therapy and severity of condition. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1998; 85: 388-392.
- 117) Eveloff SE, Rosenberg CL, Carlisle CC, Millman RP. Efficacy of a Herbst mandibular advancement device in obstructive sleep apnea. *Am J Respir Crit Care Med* 1994; 149: 905-909.
- 118) Millman RP, Rosenberg CL, Carlisle CC, Kramer NR, Kahn DM, Bonitati AE. The efficacy of oral appliances in the treatment of persistent sleep apnea after uvulopalatopharyngoplasty. *Chest* 1998; 113: 992-926.
- 119) Raphaelsson MA, Alpher EJ, Bakker KW, Perlstrom JR. Oral appliance therapy for obstructive sleep apnea syndrome: progressive mandibular advancement during polysomnography. *Cranio* 1998; 16: 44-50.
- 120) Tegelberg Å, Wilhelmsson B, Walker-Engström M-L, Ringqvist M, Andersson L, Krekmanov L, Ringqvist I. Effects and adverse events of a dental appliance for treatment of obstructive sleep apnoea. *Swed Dent J* 1999; 23: 117-126.
- 121) Mayer G, Meier-Ewert K. Cephalometric predictors for orthopaedic mandibular advancement in obstructive sleep apnoea. *Eur J Orthod* 1995; 17: 35-43.
- 122) Bondemark L. Does 2 years' nocturnal treatment with a mandibular advancement splint in adult patients with snoring and OSAS cause a change in the posture of the mandible? *Am J Orthod Dentofacial Orthop* 1999; 116: 621-628.
- 123) Schmidt-Nowara W, Lowe A, Wiegand L, Cartwright R, Perez-Guerra F, Menn S. Oral appliances for the treatment of snoring and obstructive sleep apnea: a review. *Sleep* 1995; 18: 501-510.
- 124) Clark GT, Blumenfeld I, Yoffe N, Peled E, Lavie P. A crossover study comparing the efficacy of continuous positive airway pressure with anterior mandibular positioning devices on patients with obstructive sleep apnea. *Chest* 1996; 109: 1477-1483.
- 125) Schönhofer B, Hochban W, Vieregge HJ, Brünig H, Köhler D. Immediate intraoral adaptation of mandibular advancing appliances of thermoplastic material for the treatment of obstructive sleep apnea. *Respiration* 2000; 67: 83-88.
- 126) Itasaka Y, Miyazaki S, Tada H, Ishikawa K, Togawa K. Effectiveness of prosthetic mandibular advancement for obstructive sleep apnea: analysis by sleep position. *Japanese Society of Sleep Research*. 1998; 52: 224-225.
- 127) Arai H, Furuta H, Kosaka K, Kaneda R, Koshino Y, Sano J, Kumagai S, Yamamoto E. Changes in work performances in obstructive sleep apnea patients after dental appliance therapy. *Japanese Society of Sleep Research*. 1998; 52: 224-225.
- 128) Bondemark L, Lindman R. Craniomandibular status and function in patients with habitual snoring and obstructive sleep apnoea after nocturnal treatment with a mandibular advancement splint: a 2-year follow-up. *Eur J Orthod* 2000; 22: 53-60.
- 129) Wilhelmsson B, Tegelberg Å, Walker-Engström M-L, Ringqvist M, Andersson L, Krekmanov L, Ringqvist I. A prospective randomized study of a dental appliance compared with uvulopalatopharyngoplasty in the treatment of obstructive sleep apnoea. *Acta Otolaryngol* 1999; 119: 503-509.
- 130) Pantin CC, Hillman DR, Tennant M. Dental side effects of an oral device to treat snoring and obstructive sleep apnea. *Sleep* 1999; 22: 237-240.
- 131) Issa FG, Sullivan CE. The immediate effects of nasal continuous positive airway pressure treatment on sleep pattern in patient with obstructive sleep apnea syndrome. *Electroencephalogr Clin Neurophysiol* ; 1986; 63:10-17.
- 132) Schwab RJ, Pack AI, Gupta KB, Metzger LJ, Oh E, Getsy JE, Hoffman EA, Gefter WB. Upper airway and soft tissue structural changes induced by CPAP in normal subjects. *Am J Respir Crit Care Med* 1996; 154: 1106-1116.
- 133) Franklin K, Lundgren R, Dahlqvist Å, Rabben T, Rosenhall L. Näs-CPAP – Ett förstahandsval vid behandling av obstruktiv sömnapné. *Nord Med* 1992; 107: 42-45.
- 134) McArdle N, Devereux G, Heidarnjad H, Engleman HM, Mackay TW, Douglas NJ. Long-term use of CPAP therapy for sleep apnea/hypopnea syndrome. *Am J Respir Crit Care Med* 1999; 159: 1108-1114.
- 135) Engleman HM, Kingshott RN, Wraith PK, Mackay TW, Deary IJ, Douglas NJ. Randomized placebo-controlled crossover trial of continuous positive airway pressure for mild sleep apnea/hypopnea syndrome. *Am J Respir Crit Care Med* 1999; 159: 461-467.
- 136) Findley L, Smith C, Hooper J, Dineen M, Suratt PM. Treatment with nasal CPAP decreases automobile accidents in patients with sleep apnea. *Am J Respir Crit Care Med* 2000; 161: 857-859.
- 137) Bahammam A, Delaive K, Ronald J, Manfreda J, Roos L, Kryger MH. Health care utilization in males with obstructive sleep apnea syndrome two years after diagnosis and treatment. *Sleep* 1999; 22: 740-747.
- 138) Peker Y, Hedner J, Johansson Å, Bende M. Reduced hospitalization with cardiovascular and pulmonary disease in obstructive sleep apnea patients on nasal CPAP treatment. *Sleep* 1997; 20: 645-653.
- 139) Beninati W, Harris CD, Heold DL, Shepard JW Jr. The effect of snoring and obstructive sleep apnea on the sleep apnea on the sleep quality of bed partners. *Mayo Clin Proc* 1999; 74: 955-958.
- 140) Fujita S, Conway WA, Zorick FJ, Sickelsteel JM, Roehrs TA, Witting RM, Roth T. Evaluation of the effectiveness of uvulopalatopharyngoplasty. *Laryngoscope* 1985; 95: 70-74.
- 141) Miyazaki S, Itasaka Y, Tada H, Ishikawa K, Togawa K. Effectiveness of tonsillectomy in adult sleep apnea syndrome. *Psychiatry Clin Neurosci* 1998; 52: 222-223.
- 142) Friberg D, Carlsson-Nordlander B, Larsson H, Svanborg E. UPPP for habitual snoring: a 5-year follow-up with respiratory sleep recordings. *Laryngoscope* 1995; 105: 519-522.
- 143) Janson C, Gislason T, Bengtsson H, Eriksson G, Lindberg E, Lindholm C-E, Hultcrantz E, Hetta J, Boman G. Long-term follow-up of patients with obstructive sleep apnea treated with uvulopalatopharyngoplasty. *Arch Otolaryngol Head Neck Surg* 1997; 123: 257-262.
- 144) Boot H, van Wegen R, Poubon RML, Bogaard JM, Schmitz PIM, van der Mechè FGA. Long-term results of uvulopalatopharyngoplasty for obstructive sleep apnea syndrome. *Laryngoscope* 2000; 110: 469-475.
- 145) Carlsson-Nordlander, Larsson H, Svanborg E. Varning för "tysta apnéer" efter snarkoperation. *Läkartidningen* 1991; 88: 1063-1065.
- 146) An American Sleep Disorders Association Report. Practice parameters for the use of laser-assisted uvulopalatopharyngoplasty. *Sleep* 1994; 17: 744-748.
- 147) Larsson H, Carlsson-Nordlander B, Svanborg E. Long-term follow-up after UPPP for obstructive sleep apnea syndrome: results of sleep apnea recordings and subjective evaluation 6 months and 2 years after surgery. *Acta Otolaryngol* 1991; 111: 582-590.
- 148) Riley RW, Powell NB, Guilleminault C. Obstructive sleep apnea syndrome: a review of 306 consecutively treated surgical patients. *Otolaryngol Head Neck Surg* 1993; 108: 117-125.
- 149) Kuhlo W, Doll E, Frank MC. Erfolgreiche Behandlung eines Pickwick-Syndroms durch eine dauertrachealkanüle. *Dtsch Med Wochenschr* 1969; 94: 1286-1290.

- 150) Kansanen M, Vanninen E, Tuunainen A, Pesonen P, Tuononen V, Hartikainen J, Mussalo H, Uusitupa M. The effect of a very low-calorie diet-induced weight loss on the severity of obstructive sleep apnoea and autonomic nervous function in obese patients with obstructive sleep apnoea syndrome. *Clin Physiol* 1998; 18: 377-385.
- 151) Hakala K, Maasilta P, Sovijärvi ARA. Upright body position and weight loss improve respiratory mechanics and daytime oxygenation in obese patients with obstructive sleep apnoea. *Clin Physiol* 2000; 20: 50-55.
- 152) Schwartz AR, Gold AR, Schubert N, Stryzak A, Wise RA, Permutt S, Smith PL. Effect of weight loss on upper airway collapsibility in obstructive sleep apnea. *Am Respir Dis* 1991; 144: 494-498.
- 153) Strobel RJ, Rosen RC. Obesity and weight loss in obstructive sleep apnea a critical review. *Sleep* 1996; 9: 104-115.
- 154) Sampol G, Muñoz X, Sagalés MT, Martí S, Roca A, Dolors de la Calzada M, Lloberes P, Morell F. Long-term efficacy of dietary weight loss in sleep apnoea/hypopnea syndrome. *Eur Respir J* 1998; 12: 1156-1159.
- 155) Cartwright RD, Lloyd S, Lillie J, Kravitz H. Sleep position training as treatment for sleep apnea syndrome: a preliminary study. *Sleep* 1985; 8: 87-94.
- 156) Berger M, Oksenberg A, Silverberg DS, Arons E, Radwan H, Iaina A. Avoiding the supine position during sleep lowers 24h blood pressure in obstructive sleep apnea(OSA) patients. *J Hum Hypertens* 1997; 11: 657-664.
- 157) Liistro G, Rombaux P, Dury M, Pieters G, Aubert G Rodenstein DO. Effects of Breathe Right™ on snoring: a polysomnographic study. *Respir Med* 1998; 92: 1076-1078.
- 158) Bahammam AS, Tate R, Manfreda J, Kryger MH. Upper airway resistance syndrome: effect of nasal dilation, sleep stage, and sleep position. *Sleep* 1999; 22: 592-598.
- 159) Schönhofer B, Franklin KA, Brünig H, Wehde H, Köhler D. Effect of nasal-valve dilation on obstructive sleep apnea. *Chest* 2000; 118: 587-590.
- 160) Walker-Engström M-L, Tegelberg Å, Wilhelmsson & Ringqvist. Four-year follow-up of treatment with dental appliance or UPPP in obstructive sleep apnea. A randomized study.
- 161) Eskafi-Sabet M, Cline C, Israelsson B Y.A, Nilner. Effects of a mandibular advancing device n central sleep apnoea in patients with heart failure.